AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended):   A community service providing system for providing communication services and events through a wired/wireless network, comprising:

an input section through which one of emotion and condition information of communication service users is input;

an emotion map ~~for allowing~~ which represents said one of emotion and condition information of the users of the communication service ~~to be represented~~ as coordinate values on the basis of predetermined information axes;

at least one of an emotion~~/~~ analysis module and condition analysis module ~~for which~~ ~~generating~~ generates events corresponding to said one of the emotion and condition information of the users of the communication service based on the emotion map, and

an output section which provides said generated events to said communication service users.

2. (currently amended): The system as claimed in claim 1, wherein said output section transmits one of the emotion map ~~processed through the emotion/condition analysis module~~ and information related to the generation of events to the communication service users, wherein said

emotion map is processed via said at least one of the emotion analysis module and condition analysis module.

3. (previously presented): The system as claimed in claim 1, wherein the input section maps said one of the emotion and condition information of the communication service users into the emotion map.

4. (previously presented) The system as claimed in claim 3, wherein the emotion map allows one of a user's emotion and condition information to be represented as coordinate values based on the predetermined information axes to indicate a predetermined emotion defined by the communication service users.

5. (currently amended) The system as claimed in claim 4, wherein the at least one of the emotion/ analysis module and condition analysis module comprises:

a coordinate value comparing unit for measuring a proximity degree of the coordinate values represented on the emotion map, corresponding to said one of the emotion and condition information of the communication service users input through the input section;

a coordinate value determining unit for determining at least one of a similarity and a difference between said coordinate values within a predetermined range based on the proximity degree measured by the coordinate value comparing unit; and

an event generating unit for generating corresponding events in response to a control signal generated by the coordinate value determining unit.

6. (original) The system as claimed in claim 5, wherein said at least one of the similarity and difference is determined using one of the proximity degree and relative distance between the coordinate values measured by the coordinate value comparing unit.

7. (original) The system as claimed in claim 5, wherein the events are determined according to said at least one of the similarity and the difference represented by the communication service users, and the events are determined based on the coordinate values indicated on the emotion map.

8. (previously presented): A community service providing method, comprising:

causing one of emotion and condition information of communication service users to be input;

determining one of a similarity and difference among the users of the communication service to be represented as coordinate values on the basis of predetermined information axes;

generating events in accordance with the determination result, and

transmitting said generated events to said communication service users.

4

9. (original) The method as claimed in claim 8, further comprising the step of transmitting one of information on the input emotion and condition information as predetermined coordinate values and information on generation of the events, to the predetermined communication service users.

10. (original) The method as claimed in claim 8, wherein the step of generating the events comprises a step of generating events specified previously in accordance with an attribute of a group to which the communication service users belong.

11. (original) The method as claimed in claim 8, wherein the step of generating the events comprises a step of selecting an event notification method in accordance with neighboring environment information measured by a sensor provided in a terminal of each of the communication service users.

12. (original) The method as claimed in claim 8, wherein said one of the emotion and condition information is information related to coordinates, which move on the emotion map in accordance with a key input by at least one of the communication service users.

13. (original) The method as claimed in claim 8, wherein said one of the emotion and condition information is text information corresponding to at least one type of event required by at least one of the communication service users.

14. (original) The method as claimed in claim 8, wherein said one of the similarity and difference is determined using one of a proximity degree and a relative distance for coordinate values, which are measured based on the coordinate values represented on an emotion map, corresponding to said one of the input emotion and condition information of the communication service users.

15. (previously presented): The method as claimed in claim 8, wherein an emotion map is configured based on predetermined information axis indicating predetermined emotions defined by the communication service users, so as to represent one of emotions and conditions as coordinate values.